

PP - Polypropylen - Platten

Typ: PP-H
extrudiert

mm Dicke	grau = RAL 7032			natur		
	2000 x 1000 kg/Stück	3000 x 1500 kg/Stück	4000 x 2000 kg/Stück	2000 x 1000 kg/Stück	3000 x 1500 kg/Stück	4000 x 2000 kg/Stück
0,8	1,5			1,5*		
1	1,8			1,8		
1,5	2,7	6,1*		2,7	6,1*	
2	3,6	8,2	14,6*	3,6	8,2	
3	5,5	12,3	21,8*	5,5	12,3	21,8*
4	7,3	16,4	29,1*	7,3	16,4	29,1*
5	9,1	20,5	36,4*	9,1	20,5	36,4*
6	10,9	24,6	43,7	10,9	24,6	43,7*
8	14,6	32,8	58,2	14,6	32,8	58,2*
10	18,2	40,9	72,8	18,2	40,9	72,8*
12	21,8	49,1	87,4	21,8	49,1	87,4*
15	27,3	61,4	109,2	27,3	61,4	109,2*
20	36,4	81,9	145,6	36,4	81,9	145,6*
25	45,5	102,4	182,0	45,5	102,4	182,0*
30	54,6	122,9	218,4	54,6	122,9*	
35	63,7	143,2*	254,8*	63,7		
40	72,8	163,8*	291,2	72,8		
50	91,0			91,0*		

weiß

mm Dicke	2000 x 1000 kg/Stück	3000 x 1500 kg/Stück	4000 x 2000 kg/Stück
0,8	1,5		
1	1,8		
1,5	2,7	6,1*	
2	3,6	8,2	14,6*
3	5,5	12,3	21,8*
4	7,3	16,4	29,1*
5	9,1	20,5	36,4*
6	10,9	24,6	43,7
8	14,6	32,8	58,2
10	18,2	40,9	72,8
12	21,8	49,1	87,4
15	27,3	61,4	109,2
20	36,4	81,9	145,6
25	45,5	102,4	182,0
30	54,6	122,9	218,4
35	63,7	143,2*	254,8*
40	72,8	163,8*	291,2
50	91,0		

mm Dicke	weiß 9002				weiß 826
	2000 x 1000 kg/Stück	2440 x 1220 kg/Stück	3000 x 1500 kg/Stück	4000 x 2000 kg/Stück	2440 x 1220 kg/Stück
1	1,8*				
1,5		4,0*			4,0*
2	3,6*	5,4*	8,1*		5,4*
3	5,4*	8,0*	12,2*		8,0
4	7,2*	10,7*	16,2*		10,7*
4,5		12,1*			12,1
5	9,0*	13,4*	20,3*	36,0*	13,4*
6	10,8*	16,1*	24,3*	43,2*	16,1
8	14,4*	21,4*	32,4*	57,6*	21,4*
10	18,0	26,8*	40,5	72,0*	26,8
12	21,6*	32,1*	48,6*	86,4*	32,1
15	27,0	40,2*	60,8	108,0*	40,2*
19		50,9*			50,9*
20	36,0	53,6*	81,0	144,0*	53,6*
25	45,0*	67,0*	101,3		67,0*
30	54,0*				

* auf Anfrage

Weitere Typen, Stärken und Formate auf Anfrage **

Typ: PPs
extrudiert - schwer entflammbar

grau

mm Dicke	2000 x 1000 kg/Stück	3000 x 1500 kg/Stück	4000 x 2000 kg/Stück
1,5	2,9*		
2	3,8*	8,6*	
3	5,7	12,8	22,8*
4	7,6	17,1	30,4*
5	9,5	21,4	38,0*
6	11,4	25,7	45,6*
8	15,2	34,2	60,8*
10	19,0	42,8	76,0*
12	22,8	51,4*	91,2*
15	28,5	64,2*	114,0*
20	38,0	85,6*	152,0*
25	47,5*		
30	57,0*		

* auf Anfrage

Weitere Typen, Stärken und Formate auf Anfrage **

Typ: **PP-H**
gepresst

mm Dicke	grau = RAL 7032			natur		
	2000 x 1000	4120 x 2010	6200 x 2010	2000 x 1000	4120 x 2010	6200 x 2010
	kg/Stück	kg/Stück	kg/Stück	kg/Stück	kg/Stück	kg/Stück
10	18,2*	75,4*	113,4*	18,2*	75,4*	113,4*
12	21,8*	90,4*	136,1*	21,8*	90,4*	136,1*
15	27,3	113,0*	170,1*	27,3	113,0*	170,1*
20	36,4	150,7*	226,8*	36,4	150,7*	226,8*
25	45,5	188,4*	283,5*	45,5	188,4*	283,5*
30	54,6	226,1*	340,2*	54,6	226,1*	340,2*
35	63,7	263,8*	396,9*	63,7	263,8*	396,9*
40	72,8	301,4*	453,6*	72,8	301,4	453,6*
50	91,0	376,8*	567,0*	91,0	376,8*	567,0*
60	109,2	452,2*	680,4*	109,2	452,2*	680,4*
70	127,4	602,9*	793,8*	127,4	602,9*	793,8*
80	145,6	678,2*	907,2*	145,6	678,2*	907,2*
90	163,8	753,6*		163,8*	753,6*	
100	182,0	828,9*		182,0	828,9*	
110	200,2	904,3*		200,2*	904,3*	
120	218,4	1055,0*		218,4	1055,0*	
140	254,8			254,8*		
150	273,0			273,0*		
200	364,0*			364,0*		

* auf Anfrage

Weitere Typen, Stärken und Formate auf Anfrage **

Typ: PPs
gepresst - schwer entflammbar

grau

mm Dicke	2000 x 1000 kg/Stück	4120 x 2010 kg/Stück	6200 x 2010 kg/Stück
10	19,0*	78,7*	118,4*
12	22,8*	94,4*	142,1*
15	28,5*	118,0*	177,6*
20	38,0*	157,3*	236,8*
25	47,5	196,7*	296,0*
30	57,0	236,0*	355,2*
35	66,5*	275,3*	414,4*
40	76,0	314,7*	473,6*
50	95,0	393,4*	592,0*
60	114,0*	472,0*	710,3*
70	133,0*	550,7*	828,7*
80	152,0*	629,4*	947,1*
90	171,0*	708,0*	
100	190,0*	786,7*	
110	209,0*	865,4*	
120	228,0*	944,1*	
140	266,0*	1101,4*	

* auf Anfrage

Weitere Typen, Stärken und Formate auf Anfrage **

Typ: PP-C
**sehr gut geeignet für den Apparatebau
mit verbesserter Zähigkeit**

mm Dicke	grau		
	2000 x 1000 kg/Stück	4120 x 2010 kg/Stück	6200 x 2010 kg/Stück
10	19,0*	78,7*	118,4*
12	22,8*	94,4*	142,1*
15	28,5*	118,0*	177,6*
20	38,0*	157,3*	236,8*
25	47,5	196,7*	296,0*
30	57,0	236,0*	355,2*
35	66,5*	275,3*	414,4*
40	76,0	314,7*	473,6*
50	95,0	393,4*	592,0*
60	114,0*	472,0*	710,3*
70	133,0*	550,7*	828,7*
80	152,0*	629,4*	947,1*
90	171,0*	708,0*	
100	190,0*	786,7*	
110	209,0*	865,4*	
120	228,0*	944,1*	
140	266,0*	1101,4*	

* auf Anfrage

Weitere Typen, Stärken und Formate auf Anfrage **

** Bitte beachten Sie unsere wichtigen Informationen unter Startseite AGB's / wichtige Hinweise